

Index – A Handbook for Must and Wine Analysis

Note: Locators for term definitions are in **bold**, those followed by 'f' indicate a figure

A

acidity, total, **23**, 104
 procedure, 105–107
 when used, 49, 50, 51, 52, 53, 55
acidity, volatile, **23**, 112
 cash still, use of, 114–115
 procedure, 113–115
 when used, 50, 51, 52, 53, 54, 55
acids, **11**, 28
alcohol, **11**, 60
 procedure, 61–64 (*See also* ebulliometer)
 residual sugar interference, 62, 63 (*See also*
 residual sugar)
 when used, 50, 51, 53, 55

B

base, **11**
beakers, **11**
bench-top tests, **11**, 90, 94
bentonite, **12**. *See also* heat stability
brix, **12**, 68
 hydrometer (during fermentation), 71–72
 hydrometer temperature compensation, 72
 refractometer (before fermentation), 69–70
 refractometer standardization, 69
 when used, 49, 52

burets

bent-tip, **13**
straight-tip, **12**
in titration, 42
use of, 30, 31f

C

cap, **13**
carbon dioxide (CO₂), **13**
cash stills, **14**, 114–115
cold stability, 66
 procedure, 67
 when used, 50, 54
contamination, **14**, 33
crystallization, potassium bitartrate, 66

D

decolorization, red wine, 34, 35f, 97
degrees brix (°B), **14**. *See* brix
dryness, **14**

E

ebulliometers, **15**
 alcohol content, 61–63
 barometric pressure, 64
electrodes, **15**, 36, 37f
endpoint, **15**
Erlenmeyer flasks, **16**

F

Fehling's reagents, 95
fining agents, **16**, 50
flasks
 Erlenmeyer, **16**
 volumetric, **24**, 44, 45f
free sulfur dioxide (SO₂). *See* sulfur dioxide (SO₂)

G

glassware
 cleaning of, 32
 See also beakers; burets; Erlenmeyer flasks;
 graduated cylinders; hydrometers;
 pipets; volumetric flasks
graduated cylinders, **16**, 38, 39f

H

headspace, **16**, 112
heat stability, **82**
 heat/cool method, 83
 trichloroacetic acid/turbidimeter method, 84–85
 when used, 50
hotplate/stirrer, **17**, 42
hydrochloric acid (HCl), **17**, 75, 105
hydrogen peroxide (H₂O₂), 75
hydrometers, **17**, 49, 52, 100
 alcohol content, 60
 brix, 71–72
 specific gravity, 101–102
 temperature compensation, 72, 102

I

indicators, **18**. *See also* methyl red; methylene blue; phenolphthalein
inoculation, **18**, 49, 52
iodine standard (I₂), 109

L

laboratory safety, 5–7
lactic acid (C₃H₆O₃), 87
lees, **18**

Index – A Handbook for Must and Wine Analysis

M

malic acid ($C_4H_6O_5$), 87
malolactic chromatograms, 86
 procedure, 87–88
 when used, 49, 52
malolactic fermentation, **18**. *See also* malolactic chromatograms
meniscus, **18**, 38
methyl red, **18**
methylene blue, **19**, 75
ML fermentation, **19**. *See also* malolactic chromatograms
molarity, **19**
must, **19**

N

nephelometer, **19**. *See also* heat stability; turbidimeter
normality, **19**, 109

O

oxidation, **19**

P

parts per million (PPM), **20**
pH, **20**, 90
 procedure, 91–92
 when used, 49, 50, 51, 52, 53, 55
pH meter, 36, 37f
phenolphthalein, **20**, 75, 105
phosphoric acid (H_3PO_4), **20**, 75
pipets, **20**
 TD (to deliver) type, 40
 use of, 40, 41f
 use with acid, 28
potassium bitartrate ($KC_4H_5O_6$), 91
potassium bitartrate (tartrate) crystallization, 66
precipitates, **21**
production procedures
 red wine, 52–55
 white wine, 49–51
proteins, **21**
pumping over, **21**, 52
punching cap, **21**, 52

R

racking, **21**, 54
reagents
 Fehling's, 95
 Soxhlet's, 95
red wine
 decolorization of, 34, 35f, 97

 production, 52–55
 refermentation, prevention of, 94
refractometer, **21**
 brix calculation, 69–70
 standardization of, 69
residual sugar, **21**, 94
 glucose/fructose ratio, 94
 procedure (modified Lane and Eynon), 95–98
 when used, 51, 53, 55

S

safety, 5–7
sodium bicarbonate ($NaHCO_3$), 109
sodium hydroxide ($NaOH$), **22**, 75, 105, 109
sodium thiosulfate ($Na_2S_2O_3$), 109
Soxhlet's reagent, 95
specific gravity, **22**, 100
 hydrometer temperature compensation, 102
 procedure, 101–102
 when used, 49, 52
standards, **22**
stirbars, **22**
suction bulbs, **22**
sulfur dioxide (SO_2), **22**
 free vs total, 108
 sulfur dioxide (SO_2), free, **74**
 sulfur dioxide (SO_2), total, **108**
 See also sulfur dioxide test (SO_2), free; sulfur dioxide test (SO_2), total
sulfur dioxide test (SO_2), free
 procedure, 75–80, 77f
 when used, 50, 51, 52, 53, 54, 55
sulfur dioxide test (SO_2), total
 procedure, 109–111
 when used, 50, 51, 55
sulfuric acid (H_2SO_4), **23**, 109
sweet reserve, 94

T

tartrate crystals, 50, 54, 66
TCA. *See* trichloroacetic (TCA)
tests
 acidity, total, 104–107
 acidity, volatile, 112–115
 alcohol, 60–64
 brix, 68–72
 cold stability, 66–67
 heat stability, 82–85
 malolactic chromatograms, 86–88
 pH, 90–92
 residual sugar, 94–98
 specific gravity, 100–102
 sulfur dioxide (SO_2), free, 74–80
 sulfur dioxide (SO_2), total, 108–111

Index – A Handbook for Must and Wine Analysis

titration, **23**

acidity, total, 105–107

acidity, volatile, 113–115

procedure for use, 42, 43f

residual sugar, 96–97

sulfur dioxide, free, 78–80

sulfur dioxide, total, 110–111

topping, **23**, 54

total acidity. *See* acidity, total

total sulfur dioxide (SO₂). *See* sulfur dioxide (SO₂)

trichloroacetic acid (TCA), **23**, 84

turbidimeter, **23**. *See also* heat stability;

nephelometer

V

volatile acidity. *See* acidity, volatile

volatile acids, types of, 112

volumetric flasks, **24**, 44, 45f

W

water (H₂O), **24**

white wine production, 49–51

wine

red wine, 52–55

white wine, 49–51

wine classification by alcohol content, 60